MY20 RG Colorado & Trailblazer

Service & Warranty Booklet

Holden

Vehicle identification certificate

Owner's name

Owner's address

Town State Postcode

Vehicle Identification Number (17 character ISOVIN)

Model name

Tyre size fitted Wheel size fitted

Registration number Engine number

Odometer reading

Date of purchase

Selling Dealer's stamp and signature

Holden New Zealand Ltd., Company Number 1602 (hereinafter Holden)

Change of name, address or ownership

If you drive a pre-owned Holden, have moved house or changed any of your details, we'd like to hear from you!

Holden uses your details to keep your vehicle's factory provided Roadside Assistance and Warranty details up to date.

It also helps us let you know if there is an existing rework action required on your vehicle. To update your details, please take a few minutes to fill in and mail the form at the back of this booklet or visit Holden's website at: www.holden.com.au/forms/change-of-owner-details

Printed in Australia
Part No. 92511016
December 2019
(MY20 RG Colorado & Trailblazer. Print 2)

© 2019 Holden New Zealand Ltd
Reproduction in whole or part is prohibited
without written approval from Holden New Zealand Ltd.,
Company Number 1602

Service Voucher

1 Month Complimentary Inspection

At the end of the first month of enjoying your new vehicle, your Holden Dealer is pleased to offer you a Complimentary Vehicle Inspection.

This is an important part of your vehicle's maintenance schedule, where an expert Holden technician will ensure that your vehicle's systems are performing as intended.

Plus, it's a great opportunity to ask any questions you may have about your new Holden.

It's all part of the Holden Complete Care program and ensures the long term reliability and safety of your vehicle.

Holden
Complete Care

Contents

Holden Warranty information 1
Servicing 7
Maintenance schedule 10
Service charges 16
Service coupons 17
Additional service coupons 45
Change of address or ownership forms 51

Important information

Your vehicle has an Engine Oil Life System (EOLS) which monitors vehicle usage and driving patterns to maximise the service life of the engine oil – refer to Service information in the Owner's Manual for further details.

- Change engine oil and filter within 1,000 km when **Change Engine Oil Soon** is displayed in the Driver Information Centre (DIC).
- The vehicle must have a maintenance service (incl. oil and filter) at least once every year even if **Change Engine Oil Soon** message has not displayed in the DIC.

Note:

- If **Change Engine Oil Soon** is displayed within 5,000 km of the next scheduled maintenance interval, the scheduled service should be performed.

Holden Warranty certificate

Holden Warranty application

This Holden Warranty is given by Holden New Zealand Ltd., (Company Number 1602), ('Holden') of 2/118 Savill Drive, Mangere East, 2024, Auckland, New Zealand. Holden Customer Care, New Zealand: 0800 465 336. The Holden Warranty applies to the vehicle identified on the inside front cover of this service booklet. It is provided to the original and subsequent owners/operators driving the vehicle within New Zealand during the Holden Warranty period.

The benefits conferred by this Holden Warranty are in addition to other rights and remedies available to you under consumer protection laws (including those under the *Consumer Guarantees Act 1993*), which cannot be excluded or limited (referred to as Statutory Rights). This Holden Warranty in no way limits or restricts your rights or remedies under such Statutory Rights.

New Zealand vehicles

This Holden Warranty is only applicable to vehicles purchased and operated in New Zealand.

However, this Holden Warranty will not apply for Holden vehicles exported and operated outside of New Zealand or for Holden vehicles purchased outside of New Zealand and imported into New Zealand.

Holden Warranty repairs covered

Subject to your non-excludable statutory rights and the exclusions shown on the following pages, this Holden Warranty covers the correction, of any manufacturing defect to materials or Holden workmanship and advised to a Holden Dealer or Authorised Service Outlet, by repair or at Holden's option by replacement.

Holden Warranty period

The coverage under this Holden Warranty commences from the date of first registration (or in the case of a demonstrator vehicle the date when the vehicle was first placed into service by the Dealer). This coverage expires at the end of the period of 3 years after the commencement date or after the vehicle has travelled 100,000 kilometres, whichever occurs first.

No charge

Warranty work performed under this Holden Warranty (including parts and labour) will be carried out at no cost to the vehicle owner. However, this work should not be confused with servicing specified in the Maintenance schedule in this service booklet for which a charge is payable.

Holden Warranty certificate

Holden Warranty exclusions

Damage

Your Holden Warranty does not extend to the following: Damage caused by an accident, fire, theft or moving objects striking the vehicle (including inside the vehicle); damage as a result of towing; damage caused by industrial fallout, chemicals or sealants; damage caused by atmospheric fallout or flood, hail, salt, etc.

Maintenance items

Your Holden Warranty does not extend to services such as brake adjustment, brake replacement, replacement of filters, wiper rubbers etc., which are required as part of normal vehicle maintenance. Refer to *Maintenance Schedule* further in this booklet.

Bulbs

Bulbs are warranted for 12 months under this Holden Warranty.

Misuse

This Holden Warranty does not cover damage caused by:

(a) misuse or abuse of the vehicle such as by racing, rallying, overloading, etc or neglect,

(b) operation of the vehicle after the defect is known,

(c) failure to carry out scheduled maintenance services. Refer to *Maintenance Schedule* further in this booklet,

(d) use of incorrect types and grades of fuel, oil or lubricants,

(e) alteration or modifications of the vehicle by anyone not authorised by Holden,

(f) fitting of parts or accessories not recommended by Holden,

(g) any work carried out on the vehicle by anyone except an Authorised Holden Dealer or Authorised Service Outlet.

Holden Warranty questions and answers

This section is designed to assist you to understand the Holden Warranty provided with your new vehicle which is in addition to your Statutory Rights which cannot be excluded, limited or restricted by this Holden Warranty.

The following are some of the most frequently asked questions for which detailed answers are provided.

Q 1. How do I go about obtaining Holden Warranty service?

It is the responsibility of the Selling Dealer to provide Holden Warranty service, therefore, you should take your vehicle to the Selling Dealer whenever Holden Warranty service is needed. However, if this is not possible, you may go to any other Authorised Holden Dealer. The details recorded inside the front cover of this service booklet will be required by the Dealer.

Q 2. What should I do if my vehicle becomes unsafe or inoperative as a result of a defect which is covered by the Holden Warranty?

You should contact the nearest Authorised Holden Dealer or Holden Roadside Assistance as soon as possible, and arrange for that Dealer to carry out the required Holden Warranty service.

Q 3. What should I do if, in an emergency, Holden Warranty service is required and an Authorised Holden Dealer is not available to provide such service at the time?

Subject to your Statutory Rights, if, in an emergency, a repair, replacement or adjustment (covered by the Holden Warranty) is required to enable your vehicle to be operated safely and it is not practical for you to go to an Authorised Holden Dealer, the service (to the extent that it is necessary to enable your vehicle to be operated safely) may be performed by any other qualified mechanic or repairer. A claim for the reasonable cost may be made under the Holden Warranty through the Authorised Holden Dealer who would normally provide you with Holden Warranty service. You must also take your vehicle to the Authorised Holden Dealer for inspection of the service and/or completion of any required Holden Warranty service, as soon as possible.

Note: During normal business hours, you should seek authorisation from your nearest Authorised Holden Dealer or Holden Customer Care, prior to repairs under your Holden Warranty being commenced.

Holden Warranty questions and answers

Q 4. Is damage or injury, loss of time, inconvenience, commercial or other direct or indirect loss covered by the Holden Warranty?

No, these items are not covered under the Holden Warranty. Holden Warranty only covers the repair, replacement or adjustment of those parts of your vehicle which are found to be defective in materials or workmanship. No other types of claim for compensation of any kind, even if the same resulted from a consequence of a defect in materials or workmanship in your vehicle, will be recognised under the Holden Warranty.

You may have rights under your non-excludable Statutory Rights to claim compensation or other remedies outside of the Holden Warranty, but any claim based on those rights should be separately pursued.

Q 5. Will I have to pay for maintenance costs during the Holden Warranty Period?

Maintenance costs are not covered by the Holden Warranty. The Maintenance schedules in this service booklet specify the minimum maintenance required for your vehicle operating under normal conditions.

Subject to your Statutory Rights, the Maintenance items (except where they are required as a result of defects in materials or workmanship) for which you will have to pay include:

- Engine tune-up, including spark plugs replacement.
- Replacement of all filters, engine and other belts, hoses (including LPG hoses) wiper blades and clutch linings.
- Cleaning or flushing of fuel, coolant, brake, engine, transmission, power steering etc., after 3,000 km.
- Carbon and sludge removal.
- Maintenance servicing of emission control system devices.
- Adding to (or replacing) lubricants.
- Adding to (or replacing) air conditioning refrigerant, after 3,000 km.
- Any necessary adjustments to drive belts, transmission, clutch, park brake etc.
- Wheel balancing – after 3,000 km.
- Wheel alignment.
- De-dusting or de-glazing of brake linings or pads – after 3,000 km.
- Brake pad/lining wear or damaged brake components due to brake/pad lining wear.
- Clutch lining wear or damaged clutch components due to lining wear.

- Brake disc pad or disc wear.
- Battery recharging.
- Paint, bright metal finish and trim, due to normal deterioration.
- Body panel adjustment – after 3,000 km.
- Door, or bonnet lock adjustments.
- Glass or channel adjustments – after 3,000 km.
- Body rattle, squeaks and general tightening of bolts, fasteners and fittings – after 3,000 km.
- Chipped glass or breakage.
- Torn or damaged floor mats or carpets.
- Normal wear and tear to trim components.

Q 6. Will I have to pay for any costs or expenses in connection with the provision of Holden Warranty service?

All parts and labour used in carrying out Holden Warranty service at the premises of the servicing Holden Dealer, are free of charge. Whenever Holden Warranty service is to be carried out by the servicing Holden Dealer it is your responsibility to deliver your vehicle to the servicing Holden Dealer's premises.

If, as a result of a defect which is covered by the Holden Warranty, your vehicle cannot be driven safely and you arrange for the nearest Authorised Holden Dealer to carry out the required Holden Warranty service, Holden will accept reasonable towing costs to move your vehicle to the nearest Holden Dealer's premises. Before employing a towing company, contact the nearest Holden Dealer or Holden Roadside Assistance Service or Holden Customer Care to obtain guidance.

Q 7. Would my vehicle's engine benefit from fuel additives, oil additives or coolant additives not marketed by Holden?

Your Holden is engineered to perform at its optimum using Holden recommended lubricants and fluids. The use of supplemental additives is not recommended as their use not only increases operating costs, but may indeed be harmful to your vehicle.

Any negative impact or consequences due to the use of additives may affect the validity of your Holden Warranty.

Only the fluids and lubricants referred to in the Owner's Manual should be used.

Holden Warranty questions and answers

Unauthorised statements in relation to Holden products

No Holden Dealer or other person is authorised or permitted to give or make any statement, assertion or undertaking in relation to the quality, performance, characteristics, descriptions or fitness for any purpose of any Holden product or in connection with the supply of any Holden product, which is at variance with any written statement, assertion or undertaking on any of these subjects given or made by Holden in its published sales literature, and Holden does not accept any responsibility for such unauthorised action.

Servicing

Distance / Time based service intervals

The Complimentary inspection is due at 1 month of owning your new Holden.

The first scheduled maintenance service is due at 1 year or 15,000 km (whichever occurs first) from taking delivery of your vehicle and thereafter, every 1 year or 15,000 km (whichever occurs first).

Additional services are required under certain driving conditions, such as when towing. Refer to *Maintenance Schedule* further on in this booklet.

Complimentary inspection

The 1 month Complimentary inspection is performed free of charge by the Selling Dealer.

A different Holden Dealer may perform this inspection if provided with authorisation from the selling Dealer.

Determining the proper service interval

The operating conditions of your vehicle will determine the service interval. Use the **time** interval or the odometer reading, whichever occurs first, to determine when the service is due. It is important to remember that oils and fluids in your vehicle will deteriorate over time, therefore if your vehicle has not travelled the specified service interval distance, the vehicle **must** be serviced by time interval.

Under certain operating conditions, your Holden may require additional servicing to ensure maximum safety, performance and longevity.

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine and transmission fluids and the more frequent inspection of steering, suspension and brake system components. For more information please refer to *Maintenance Schedule* further on in this booklet.

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

Servicing

Engine oil life system

If **Change Engine Oil Soon** appears in the Driver Information Centre (DIC), the engine oil and filter must be replaced within 1,000 km and the engine oil life system reset. The engine oil and filter change should be recorded on an additional service coupon.

Note: If **Change Engine Oil Soon** appears in the DIC within 5,000 km of the next scheduled maintenance interval, the scheduled service should be performed, the engine oil and filter changed, and the EOLS reset. Record on the applicable coupon stub.

Service coupons

Service coupons are provided further on in this booklet. When each service is performed, the appropriate coupon is removed. This reveals the next coupon to remind you when the next service is due.

After each service, check the service has been validated by the Service Provider and, where applicable, the Dealer's stamp and signature is on the coupon stub. This is important as it not only assists in the determination of Holden Warranty claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 13 years / 195,000 km service. For all subsequent services, refer to the maintenance schedule '*After 13 years or 195,000 km'* on page 13. When performing these services, record them on the additional service coupons provided on page 45.

Additional service requirements

If you are driving your vehicle outside of the normal driving conditions, you may need to conduct additional servicing. Criteria for these additional services can be found in the Maintenance Schedule. Additional service coupons can be found further on in this booklet.

As a guide, if you operate your vehicle continually for a period of 1 month or 1,000 km under any of the conditions listed, then additional services are recommended. If you consider that further servicing may be required, consult your Holden Dealer.

Servicing

Your Holden Dealer

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Holden Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

Holden Warranty and service

Subject to your non-excludable Statutory Rights, all maintenance services listed in this booklet, and replacement of service items, are the responsibility of the owner and as such are NOT considered under the provisions of the Holden Warranty to be rectified of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out in accordance with Holden's specifications may void your Holden Warranty. As a result, it is strongly recommended that such services be carried out by an authorised Holden Dealer or Authorised Service Outlet and that you read the Holden Warranty section previously in this booklet, so that you are aware of the Holden Warranty exclusions.

Years or x1000 km (whichever occurs first)

	Years	1	2	3	4	5	6	7	8	9	10	11	12	13
	km	15	30	45	60	75	90	105	120	135	150	165	180	195
Under bonnet														
Engine oil *1		●	●	●	●	●	●	●	●	●	●	●	●	●
Engine oil filter *1		●	●	●	●	●	●	●	●	●	●	●	●	●
Reset engine oil life system		○	○	○	○	○	○	○	○	○	○	○	○	○
Drive belts												○	○	○
Timing belt *2											●			
Cooling system		○	○	○	○	○	○	○	○	○	○	○	○	○
Engine coolant		Replace at 5 years or 240,000 km (whichever occurs first)												
Brake fluid level		○	○	○	○	○	○	○	○	○	○	○	○	○
Brake fluid *3		Replace every 2 years (regardless of km) under normal driving conditions												
Power brake unit and hoses		○	○	○	○	○	○	○	○	○	○	○	○	○
Clutch fluid level		○	○	○	○	○	○	○	○	○	○	○	○	○
Clutch fluid		Replace every 2 years (regardless of km)												
Air cleaner element *4		○	○	●	○	○	●	○	○	●	○	○	●	○
Battery and terminals		○	○	○	○	○	○	○	○	○	○	○	○	○
Under vehicle														
Brake lines, hoses and connections		○	○	○	○	○	○	○	○	○	○	○	○	○
Rear brake linings and drums *5		○	○	○	○	○	○	○	○	○	○	○	○	○
Rear brake adjustment		○	○	○	○	○	○	○	○	○	○	○	○	○
Front and rear disc brakes		○	○	○	○	○	○	○	○	○	○	○	○	○
Fuel lines and hoses		○	○	○	○	○	○	○	○	○	○	○	○	○
Fuel filters *6, *7		○	●	○	●	○	●	○	●	○	●	○	●	○
Power steering operation and steering linkages		○	○	○	○	○	○	○	○	○	○	○	○	○
Manual transmission fluid *8		○	○	○	○	○	○	○	○	○	●	○	○	○
Automatic transmission fluid *8											●			
Differential(s) oil		○	○	○	○	○	○	○	●	○	○	○	○	○
Transfer case fluid (4x4) *9		Replace every 75,000 km if predominantly used in 4x4												

	Years or x1000 km (whichever occurs first)												
Years	1	2	3	4	5	6	7	8	9	10	11	12	13
km	15	30	45	60	75	90	105	120	135	150	165	180	195
Under vehicle													
Front and rear suspension	○	○	○	○	○	○	○	○	○	○	○	○	○
Front wheel hub / bearing	○	○	○	○	○	○	○	○	○	○	○	○	○
Sliding sleeve	○	○	○	○	○	○	○	○	○	○	○	○	○
Lubricate sliding sleeve			○			○			○			○	
Driveshaft dust boots	○	○	○	○	○	○	○	○	○	○	○	○	○
Tyre condition and inflation pressure (inc spare)	○	○	○	○	○	○	○	○	○	○	○	○	○
Rotate wheels *10	○	○	○	○	○	○	○	○	○	○	○	○	○
Check and tighten bolts and nuts on chassis and body		▲		▲		▲		▲		▲		▲	
Check and tighten bull bar / tow bar attaching bolts and inspect chassis *11							▲						
Exhaust system and heat shields	○	○	○	○	○	○	○	○	○	○	○	○	○
Oil pan shield	○	○	○	○	○	○	○	○	○	○	○	○	○

○ **Inspect: Inspect and adjust, rotate, drain, lubricate, reset or clean as required. If repair or replacement is necessary, additional charges may apply.**
● **Replace**
▲ **Tighten**

***1** If a Change Engine Oil Soon message is displayed, change the engine oil and oil filter within the next 1,000 km.
***2** If the vehicle is operated in very dusty or sandy areas, replace the timing belt at 105,000 km.
***3** Caravan or trailer towing, replace brake fluid every 1 year.
***4** If the vehicle is operated in very dusty or sandy areas, clean and if necessary, replace the air cleaner element every 15,000 km.
***5** If the vehicle is operated in very dusty or sandy, muddy or wet areas, inspect and clean the rear brake drum linings every 15,000 km.
***6** If the vehicle is operated in high humidity areas or substantially varying day time and night time temperatures, drain the fuel filters every 6 months.
***7** If the vehicle is operated in very dusty or sandy, muddy or wet areas, replace the fuel filters every 15,000 km.
***8** If the vehicle is operated under any of the following conditions, change the transmission fluid every 75,000 km.
A Extended periods of idling or low speed operation.
B Extended heavy load, high speed operation in outside temperatures above 35°C.
C Caravan or trailer towing.
***9** If the vehicle is operated in very dusty or sandy, muddy or wet areas, replace the transfer case fluid every 75,000 km.
***10** Your Holden Dealer will assess the wear on your tyres and rotate depending upon their specification and current serviceability.
***11** If fitted, check the bull bar / tow bar attaching bolts are tightened to the correct specification and inspect the chassis frame end plates and associated welds.

Years or x1000 km (whichever occurs first)

	Years	1	2	3	4	5	6	7	8	9	10	11	12	13
	km	15	30	45	60	75	90	105	120	135	150	165	180	195
Interior / Exterior														
Park brake operation		○	○	○	○	○	○	○	○	○	○	○	○	○
Horn, lights, washers and wipers		○	○	○	○	○	○	○	○	○	○	○	○	○
Seatbelt, webbing condition, buckle operation and retractor mechanism operation		○	○	○	○	○	○	○	○	○	○	○	○	○
Pollen filter *12				○			○			○			○	
Lubricate bonnet & door strikers, and door hinges		○	○	○	○	○	○	○	○	○	○	○	○	○
Lubricate tonneau cover locking pins (Z71 crew cab)		○	○	○	○	○	○	○	○	○	○	○	○	○
Lubricate side door window channel weatherstrips *13		○	○	○	○	○	○	○	○	○	○	○	○	○
Key transmitter range		○	○	○	○	○	○	○	○	○	○	○	○	○
Road test														
Air conditioner performance		○	○	○	○	○	○	○	○	○	○	○	○	○
Cruise control operation		○	○	○	○	○	○	○	○	○	○	○	○	○
Park pawl operation		○	○	○	○	○	○	○	○	○	○	○	○	○
Check outstanding rework actions are complete		○	○	○	○	○	○	○	○	○	○	○	○	○

○ **Inspect: Inspect and adjust, rotate, drain, lubricate, reset or clean as required. If repair or replacement is necessary, additional charges may apply.**
● **Replace**
▲ **Tighten**

***12** If the vehicle is operated in very dusty or sandy areas, replace the pollen filter every 15,000 km.

***13** Lubricate the vertical side door window channel weatherstrips using GM silicone spray or equivalent. Operate the windows several times to ensure smooth operation.

Maintenance schedule

After 13 years or 195,000 km

	Perform every 1 year or 15,000 km (whichever occurs first)	Perform at time or distance (whichever occurs first)
Under bonnet		
Engine oil *1	●	
Engine oil filter *1	●	
Reset engine oil life system	○	
Drive belts	○	
Timing belt *2		Replace every 10 years or 150,000 km
Cooling system	○	
Engine coolant		Replace every 5 years or 240,000 km
Brake fluid level	○	
Brake fluid *3		Replace every 2 years regardless of km
Power brake unit and hoses	○	
Clutch fluid level	○	
Clutch fluid		Replace every 2 years regardless of km
Air cleaner element *4	○	Replace every 3 years or 45,000 km
Battery and terminals	○	
Under vehicle		
Brake lines, hoses and connections	○	
Rear brake linings and drums *5	○	
Rear brake adjustment	○	
Front and rear disc brakes	○	
Fuel lines and hoses	○	
Fuel filters *6, *7	○	Replace every 2 years or 30,000 km
Power steering operation and steering linkages	○	
Manual transmission fluid *8	○	Replace every 10 years or 150,000 km
Automatic transmission fluid *8		Replace every 10 years or 150,000 km
Differential(s) oil	○	Replace every 8 years or 120,000 km

continued overleaf

Maintenance schedule

After 13 years or 195,000 km

	Perform every 1 year or 15,000 km (whichever occurs first)	Perform at time or distance (whichever occurs first)
Under vehicle		
Transfer case fluid (4x4) *9		Replace every 75,000 km if predominantly used in 4x4
Front and rear suspension	○	
Front wheel hub / bearing	○	
Sliding sleeve	○	
Lubricate sliding sleeve		Perform every 3 years or 45,000 km
Driveshaft dust boots	○	
Tyre condition and inflation pressure (inc spare)	○	
Rotate wheels *10	○	
Check and tighten bolts and nuts on chassis and body		Tighten every 2 years or 30,000 km
Check and tighten bull bar / tow bar attaching bolts and inspect chassis *11		Tighten every 7 years or 105,000 km
Exhaust system and heat shields	○	
Oil pan shield	○	
Interior / exterior		
Park brake operation	○	
Horn, lights, washers and wipers	○	
Seatbelt, webbing condition, buckle operation and retractor mechanism operation	○	
Pollen filter *12		Inspect every 3 years or 45,000 km
Lubricate bonnet & door strikers, and door hinges	○	
Lubricate tonneau cover locking pins (Z71 crew cab)	○	
Lubricate side door window channel weatherstrips *13	○	
Key transmitter range	○	
Road test		
Air conditioner performance	○	
Cruise control operation	○	
Park pawl operation	○	
Check outstanding rework actions are complete	○	

Maintenance schedule

After 13 years or 195,000 km

○ **Inspect: Inspect and adjust, rotate, drain, lubricate, reset or clean as required. If repair or replacement is necessary, additional charges may apply.**
● **Replace**
▲ **Tighten**

***1** If a Change Engine Oil Soon message is displayed, change the engine oil and oil filter within the next 1,000 km.
***2** If the vehicle is operated in very dusty or sandy areas, replace the timing belt at 105,000 km.
***3** Caravan or trailer towing, replace brake fluid every 1 year.
***4** If the vehicle is operated in very dusty or sandy areas, clean and if necessary, replace the air cleaner element every 15,000 km.
***5** If the vehicle is operated in very dusty or sandy, muddy or wet areas, inspect and clean the rear brake drum linings every 15,000 km.
***6** If the vehicle is operated in high humidity areas or substantially varying day time and night time temperatures, drain the fuel filters every 6 months.
***7** If the vehicle is operated in very dusty or sandy, muddy or wet areas, replace the fuel filters every 15,000 km.
***8** If the vehicle is operated under any of the following conditions, change the transmission fluid every 75,000 km.
A Extended periods of idling or low speed operation.
B Extended heavy load, high speed operation in outside temperatures above 35°C.
C Caravan or trailer towing.
***9** If the vehicle is operated in very dusty or sandy, muddy or wet areas, replace the transfer case fluid every 75,000 km.
***10** Your Holden Dealer will assess the wear on your tyres and rotate depending upon their specification and current serviceability.
***11** If fitted, check the bull bar / tow bar attaching bolts are tightened to the correct specification and inspect the chassis frame end plates and associated welds.
***12** If the vehicle is operated in very dusty or sandy areas, replace the pollen filter every 15,000 km.
***13** Lubricate the vertical side door window channel weatherstrips using GM silicone spray or equivalent. Operate the windows several times to ensure smooth operation.

Service charges

Lubricants and materials

The owner is charged for all lubricants and materials used, plus labour, at the times recommended on the service coupons.

Fault repairs

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Warranty.

Where any deficiencies are noted, such items should be reported to the owner/operator and the extra work authorised.

Additives not recommended

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

Additional service charges

- If automatic transmission fluid is changed ..... add 0.5 hour
- If manual transmission fluid is changed ..... add 0.2 hour
- If transfer case fluid is changed ..... add 0.2 hour
- If engine oil is changed ..... add 0.2 hour
- If engine oil and filter are changed ..... add 0.3 hour
- If air cleaner element is changed ..... add 0.2 hour
- If engine coolant is changed ..... add 0.4 hour
- If clutch fluid is changed ..... add 0.2 hour
- If brake fluid is changed ..... add 0.4 hour
- If rear drum brake linings are cleaned and inspected ..... add 0.5 hour
- If tyres are rotated ..... add 0.2 hour
- If tyres are rotated and balanced (4 tyres) ..... add 0.7 hour
- If fuel filters are drained ..... add 0.1 hour
- If fuel filters are changed ..... add 0.2 hour
- If pollen filter is changed ..... add 0.2 hour
- If timing belt is changed ..... add 2.4 hours

Complimentary inspection validation at 1 month of ownership

This vehicle has been thoroughly checked in accordance with the complimentary inspection.

Dealer.....

Service Manager's signature.....

Date.....Odometer reading .....

Complimentary inspection coupon

At 1 month

This coupon should not be removed until the vehicle is presented for service.

Owner's name

Mr Mrs Miss Other.....

Address .....

Town .....

State ..... Postcode.....

Registration ..... Engine No. .....

ISOVIN ..... Model.....

Selling Dealer's stamp and signature

.....

Date of acquisition.....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

Servicing Dealer's stamp and signature

.....

Servicing Dealer .....

Town .....State.....

Owner's signature .....

This inspection is provided free of charge.

Under bonnet

- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect fuel lines and hoses
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect front and rear suspension
- ❑ Inspect front hub / bearing
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

1 year or 15,000 kms

(whichever occurs first)

- 1.2 hours labour
- engine oil and filter change

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
1 year or 15,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 1 year / 15,000 km service.

Service Provider .....

Engine oil & filter changed: YES/NO EOLS reset: YES/NO

Date of service.....Odometer .....

Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

2 years or 30,000 kms

(whichever occurs first)

- 1.4 hours labour
- engine oil and filter change
- replace fuel filters
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Replace fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bolts and nuts on chassis and body
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
2 years or 30,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 2 year / 30,000 km service.

Service Provider .....

Engine oil & filter changed: YES/NO EOLS reset: YES/NO

Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A

Date of service.....Odometer .....

Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service validation
3 years or 45,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 3 year / 45,000 km service.

Service Provider .....

Engine oil & filter changed: YES/NO EOLS reset: YES/NO

Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A

Date of service.....Odometer .....

Signed .....

HOLDEN DEALER STAMP
(If Applicable)

Service coupon

3 years or 45,000 kms

(whichever occurs first)

- 1.4 hours labour
- engine oil and filter change
- replace air cleaner element
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Replace air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Lubricate and inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels

continued...

- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Inspect pollen filter
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

4 years or 60,000 kms

(whichever occurs first)

- 1.4 hours labour
- engine oil and filter change
- replace fuel filters
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Replace fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bolts and nuts on chassis and body
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
4 years or 60,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 4 year / 60,000 km service.

Service Provider .....

Engine oil & filter changed: YES/NO EOLS reset: YES/NO

Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A

Date of service.....Odometer .....

Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

5 years or 75,000 kms

(whichever occurs first)

- 1.2 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
5 years or 75,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 5 year / 75,000 km service.

Service Provider .....

Engine oil & filter changed: YES/NO EOLS reset: YES/NO

Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A

Coolant changed: YES/NO

Date of service..... Odometer.....

Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

6 years or 90,000 kms

(whichever occurs first)

- 1.6 hours labour
- engine oil and filter change
- replace air cleaner element
- replace fuel filters
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Replace air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Replace fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Lubricate and inspect sliding sleeve
- ❑ Inspect driveshaft dust boots

continued...

HOLDEN DEALER STAMP
(If Applicable)

Service validation
6 years or 90,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 6 year / 90,000 km service.
Service Provider.....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bolts and nuts on chassis and body
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Inspect pollen filter
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

7 years or 105,000 kms

(whichever occurs first)

- 1.2 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bull bar / tow bar attaching bolts and inspect chassis
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
7 years or
105,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 7 year / 105,000 km service.
Service Provider .....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service validation
8 years or
120,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 8 year / 120,000 km service.
Service Provider .....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

HOLDEN DEALER STAMP
(If Applicable)

Service coupon

8 years or 120,000 kms

(whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace fuel filters
- replace differential(s) oil
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Replace fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Replace differential(s) oil
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots

continued...

- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bolts and nuts on chassis and body
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

9 years or 135,000 kms

(whichever occurs first)

- 1.6 hours labour
- engine oil and filter change
- replace air cleaner element
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Replace air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Lubricate and inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)

continued...

HOLDEN DEALER STAMP
(If Applicable)

Service validation
9 years or
135,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 9 year / 135,000 km service.
Service Provider.....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

- ❑ Rotate wheels
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Inspect pollen filter
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

10 years or 150,000 kms

(whichever occurs first)

- 3.8 hours labour
- engine oil and filter change
- replace timing belt
- replace fuel filters
- replace manual transmission fluid add 0.2 hour labour
- replace automatic transmission fluid add 0.5 hour labour
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Replace timing belt
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Replace fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Replace manual transmission fluid
- ❑ Replace automatic transmission fluid

continued...

HOLDEN DEALER STAMP
(If Applicable)

Service validation
10 years or
150,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 10 year / 150,000 km service.
Service Provider .....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bolts and nuts on chassis and body
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

11 years or 165,000 kms

(whichever occurs first)

- 1.3 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect drive belts
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
11 years or
165,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 11 year / 165,000 km service.
Service Provider .....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

12 years or 180,000 kms

(whichever occurs first)

- 1.7 hours labour
- engine oil and filter change
- replace air cleaner element
- replace fuel filters
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect drive belts
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Replace air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Replace fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Lubricate and inspect sliding sleeve

continued...

HOLDEN DEALER STAMP
(If Applicable)

Service validation
12 years or
180,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 12 year / 180,000 km service.
Service Provider.....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Check and tighten bolts and nuts on chassis and body
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Inspect pollen filter
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Service coupon

13 years or 195,000 kms

(whichever occurs first)

- 1.3 hours labour
- engine oil and filter change
- if brake fluid changed add 0.4 hour labour plus brake fluid
- if clutch fluid changed add 0.2 hour labour plus clutch fluid
- if engine coolant changed add 0.4 hour labour plus coolant

Note If the owner of this vehicle has changed since the last service, refer to the change forms at the back of this booklet.

Under bonnet

- ❑ Replace engine oil
- ❑ Replace engine oil filter
- ❑ Reset engine oil life system
- ❑ Inspect drive belts
- ❑ Inspect cooling system
- ❑ Inspect brake fluid level
- ❑ Inspect power brake unit and hoses
- ❑ Inspect clutch fluid level
- ❑ Inspect air cleaner element
- ❑ Inspect battery and terminals

Under vehicle

- ❑ Inspect brake lines, hoses and connections
- ❑ Inspect rear brake linings and drums
- ❑ Inspect rear brake adjustment
- ❑ Inspect front and rear disc brakes
- ❑ Inspect fuel lines and hoses
- ❑ Drain fuel filters
- ❑ Inspect power steering operation and steering linkages
- ❑ Inspect manual transmission fluid level
- ❑ Inspect differential(s) oil level
- ❑ Inspect front and rear suspension
- ❑ Inspect front wheel hub / bearing
- ❑ Inspect sliding sleeve
- ❑ Inspect driveshaft dust boots
- ❑ Inspect tyre condition and inflation pressure (inc spare)
- ❑ Rotate wheels
- ❑ Inspect exhaust system and heat shields
- ❑ Inspect oil pan shield

HOLDEN DEALER STAMP
(If Applicable)

Service validation
13 years or
195,000 kms
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 13 year / 195,000 km service.
Service Provider .....
Engine oil & filter changed: YES/NO EOLS reset: YES/NO
Brake fluid changed: YES/NO Clutch fluid changed: YES/NO/N/A
Coolant changed: YES/NO
Date of service..... Odometer.....
Signed .....

Interior / Exterior

- ❑ Inspect park brake operation
- ❑ Inspect horn, lights, washers and wipers
- ❑ Inspect seatbelt, webbing condition, buckle operation and retractor mechanism operation
- ❑ Lubricate bonnet & door strikers, and door hinges
- ❑ Lubricate tonneau cover locking pins (Z71 crew cab)
- ❑ Lubricate side door window channel weatherstrips
- ❑ Inspect key transmitter range

Road test

- ❑ Inspect air conditioner performance
- ❑ Inspect cruise control operation
- ❑ Inspect park pawl operation
- ❑ Check outstanding rework actions are complete

Additional service coupons

These coupons are for recording additional servicing and engine oil and filter changes as required by the EOLS. There are more coupons on the following pages.

Date ..... km ..... Service Provider .....

Engine oil and filter change: YES/NO EOLS reset: YES/NO

Items performed .....

.....

Date ..... km ..... Service Provider .....

Engine oil and filter change: YES/NO EOLS reset: YES/NO

Items performed .....

.....

Date ..... km ..... Service Provider .....

Engine oil and filter change: YES/NO EOLS reset: YES/NO

Items performed .....

.....

Date ..... km ..... Service Provider .....

Engine oil and filter change: YES/NO EOLS reset: YES/NO

Items performed .....

.....

Date ..... km ..... Service Provider .....

Engine oil and filter change: YES/NO EOLS reset: YES/NO

Items performed .....

.....

Date ..... km ..... Service Provider .....

Engine oil and filter change: YES/NO EOLS reset: YES/NO

Items performed .....

.....

Additional service coupons

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Additional service coupons

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Additional service coupons

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Additional service coupons

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km .....Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Additional service coupons

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Date ..... km ..... Service Provider .....
Engine oil and filter change: YES/NO EOLS reset: YES/NO
Items performed .....
.....

Change of address or ownership

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a rework action and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at **www.holden.com.au**

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company / institution / government department

Address
Street / box

City / town

Postcode

1st contact phone no.

2nd contact phone no.

Email address

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner's Manual)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

Change of address or ownership

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a rework action and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at **www.holden.com.au**

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company / institution / government department

Address
Street / box

City / town

Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner's Manual)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

Change of address or ownership

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a rework action and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at **www.holden.com.au**

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company / institution / government department

Address
Street / box

City / town

Postcode

1st contact phone no.

2nd contact phone no.

Email address

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner's Manual)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.

Change of address or ownership

Please fill in the form below if you have changed your name, address, bought the vehicle second-hand, or have become the new driver.

Holden requires these details in order to contact the operator in the event of a rework action and to keep the Roadside Assistance details up to date. For information about Holden's privacy policy or to update owner details online, please visit Holden's website at **www.holden.com.au**

Please mail to the address on the back of this page.

Please tick the appropriate box

☐ Original owner ☐ Subsequent owner

Please tell us where you purchased your Holden

☐ Government auction ☐ Private sale ☐ Other

☐ Dealership (please specify) _____

Title
(Mr, Mrs, Miss, Ms, etc.)

First name in full or initials

Surname or name of company / institution / government department

Address
Street / box

City / town

Postcode

1st contact phone no.

2nd contact phone no.

Email address

_____

Vehicle registration no.

ISOVIN no. (refer to Technical data in the Owner's Manual)

Place in an envelope and mail to:

The Manager – Warranty Administration,
Service Department,
GM Holden Ltd.
Box 548, G.P.O.
Melbourne,
Victoria 3001,
Australia.